

CRITICAL MANAGEMENT PRACTICES IN REDUCING
CONSTRUCTION PROJECT ON-SITE WASTE

AHMAD FAIZUL BIN MOHD ZAIN

A thesis submitted in fulfilment of the requirements for the award of
Master's degree of Civil Engineering

Faculty of Civil and Environmental Engineering
Universiti Tun Hussein Onn Malaysia

APRIL 2019

I dedicate this study to my beloved family and friends, who were always with me through ups and downs along this great journey to complete this study. A special loving couple I dedicate too, which is my parents, En. Mohd Zain bin Che Long and Pn. Fatimah bt Ahmad, always support and giving encouragement for successful this thesis with excellent.

I also dedicate this study to my sibling especially my sister and brother. Special thank you to my special friend, Nurul Bazilah who have supported me from start until to the end of this study.

This appreciation is also dedicated to my supportive supervisor, Dr. Muhammad Fikri bin Hasmori and my Co-supervisor, Dr. Sasitharan a/l Nagapan. Thank you for your help and support.



PTT AL-UTHM
PERPUSTAKAAN TUNKU TUN AMINAH

ABSTRACT

Rapid development in construction industry has led to the increasing of the construction waste in Malaysia. Improper construction waste management practice had caused adverse impacts towards environment, social and economy. This study seeks to identify the critical management practices in reducing construction project on-site waste through the evaluation construction industry practitioner's perception, based on the understanding that effective construction waste management will lead to on-site waste reduction. A quantitative research method by using questionnaire approach is adopted in order to obtain perceptions regarding critical construction waste management practices from construction industry players. As much as 52 practices that contribute for successful on-site construction waste minimization were found from literature review. Statistically, 135 respondents who are working as client, consultant and contractor organization participated in this study. The response rate for the actual questionnaire survey is 67%. After the validity test of the constructs and the reliability test of the questionnaire, data analysis was carried out through a combination of Kruskal-Wallis analysis and Descriptive Mean Ranks analysis by using SPSS version 22. The findings from this study show that the most prominent factor of on-site waste management is the 'Regulation' and then followed by management of 'Construction Method', 'Administrative', 'Human Resources' and 'Material and Equipment' respectively. About 20 critical construction waste management practices were determined. The most critical practice in reducing on-site construction waste is the implementation of Site Waste Management Plan in construction project. This study will guide the construction players to apply specific measures to reduce on-site construction waste generation. The findings will indirectly assist project managers to achieve targeted performance in construction projects and also will directly reduce the impact of construction waste towards environment.

ABSTRAK

Pembangunan yang pesat dalam industri pembinaan telah menyebabkan berlakunya peningkatan sisa bahan binaan di Malaysia. Amalan pengurusan sisa pembinaan yang tidak betul telah mengakibatkan kesan buruk terhadap alam sekitar, sosial dan ekonomi. Kajian ini bertujuan untuk mengenal pasti amalan pengurusan yang kritikal bagi mengurangkan sisa di tapak projek pembinaan melalui penilaian pandangan ahli industri pembinaan, berdasarkan pemahaman pengurusan sisa pembinaan yang berkesan akan membawa kepada pengurangan sisa di tapak. Kaedah penyelidikan kuantitatif dengan menggunakan pendekatan soal selidik telah digunakan bagi mendapatkan persepsi dari ahli industri pembinaan mengenai amalan pengurusan sisa pembinaan yang kritikal. Sebanyak 52 amalan yang mempengaruhi keberkesanan amalan pengurusan sisa pembinaan di tapak telah ditemui dari hasil kajian literatur. Secara statistik, 135 responden yang bekerja di dalam organisasi klien, perunding dan kontraktor telah menyertai kajian ini. Kadar maklum balas bagi kaji selidik yang sebenar ialah 67%. Selepas ujian kesahihan konstruk dan ujian kebolehpercayaan borang soal selidik dilakukan, analisis data dijalankan melalui gabungan analisis 'Kruskal-Wallis' dan analisis 'Descriptive Mean Ranks' dengan menggunakan perisian SPSS versi 22. Hasil kajian menunjukkan bahawa faktor paling penting dalam pengurusan sisa di tapak ialah 'Peraturan' dan kemudian diikuti oleh pengurusan 'Kaedah Pembinaan', 'Pentadbiran', 'Sumber Manusia' dan 'Bahan dan Peralatan'. Sebanyak 20 amalan pengurusan sisa pembinaan kritikal telah ditentukan. Amalan yang paling kritikal dalam mengurangkan sisa pembinaan di tapak ialah pelaksanaan 'Rancangan Pengurusan Sisa Tapak' dalam projek pembinaan. Kajian ini akan membantu ahli industri pembinaan untuk melaksanakan langkah-langkah tepat dalam mengurangkan penjejakan sisa pembinaan di tapak bina. Hasil dapatan kajian ini secara tidak langsung akan membantu pengurus projek dalam mencapai sasaran prestasi dalam projek pembinaan dan secara langsung akan membantu dalam mengurangkan kesan buruk sisa bahan binaan terhadap alam sekitar.

TABLE OF CONTENTS

TITLE	i
DECLARATION	ii
ABSTRACT	iv
ABSTRAK	v
TABLE OF CONTENTS	vi
LIST OF TABLES	x
LIST OF FIGURES	xii
LIST OF SYMBOLS AND ABBREVIATIONS	xiv
CHAPTER 1 INTRODUCTION	1
1.1 Introduction	1
1.2 Problem Statement	2
1.3 Research Questions	7
1.4 Research Objectives	7
1.5 Scopes of Study	8
1.6 Thesis Structure	9
CHAPTER 2 LITERATURE REVIEW	10
2.1 Introduction	10
2.2 Construction Industry	11
2.3 The Concept of Waste	14
2.4 Construction Waste Definition	16
2.5 Classification of Construction Waste	18
2.5.1 Physical Waste	19

2.5.1.1	Timber Waste	20
2.5.1.2	Concrete Waste	21
2.5.1.3	Brick Waste	22
2.5.1.4	Metal and Aluminum Waste	23
2.5.1.5	Soil Waste	24
2.5.1.6	Plastic Waste	25
2.5.1.7	Glass Product Waste	25
2.5.1.8	Packaging Waste	26
2.5.2	Non-Physical Waste	26
2.6	Construction Waste Generation	28
2.7	Construction Waste Causes	32
2.7.1	Design Changes	33
2.7.2	Poor Material Handling and Storage	34
2.7.3	Capabilities of Workers	35
2.7.4	Poor Management Planning	35
2.7.5	Poor Site Condition	36
2.7.6	Procurement of Construction Material	36
2.7.7	External Factors	37
2.8	Construction Waste Impacts	37
2.9	Construction Waste Management	40
2.9.1	Construction Waste Management in Malaysia	44
2.9.2	Minimization of On-site Construction Waste	47
CHAPTER 3 METHODOLOGY		71
3.1	Introduction	71
3.2	Research Planning	71
3.3	Preliminary Study	73
3.4	Literature Review	73
3.5	Data Collection Method	74

3.6	Questionnaire Design	76
3.7	Pilot Study	78
3.8	Sample Size	80
3.9	Data Analysis Method	81
3.9.1	Reliability Test (Cronbach's Alpha)	83
3.9.2	Kruskal-Wallis Analysis	84
3.9.2.1	Normality Test	86
3.9.3	Descriptive Means Analysis	91
3.10	Pilot Study Analysis	92
3.11	Summary	97

CHAPTER 4 DATA COLLECTION AND ANALYSIS 98

4.1	Introduction	98
4.2	Quantitative Data	98
4.3	Actual Questionnaire Survey Analysis	99
4.3.1	Sampling Statistics	99
4.3.2	Respondent's Demographics Statistics	100
4.3.3	Evaluation Towards Respondents Regarding Construction Waste	103
4.3.4	Kruskal-Wallis One Way Analysis of Variance	104
4.3.4.1	Post Hoc Testing Multiple Pairwise Comparison	108
4.3.5	Descriptive Mean Analysis of Successful On-site Waste Management	116
4.3.5.1	Critical Management Practices: Regulation	122
4.3.5.2	Critical Management Practices: Construction Method	122
4.3.5.3	Critical Management Practices: Administratives	123
4.3.5.4	Critical Management Practices: Human Resources	124

4.3.5.5 Critical Management Practices: Material and Equipment	124
4.5 Summary	125
CHAPTER 5 CONCLUSION AND RECOMMENDATION	126
5.1 Introduction	126
5.2 Achievement of the Objectives	126
5.2.1 Successful Practices for Reducing On-site Construction Waste	128
5.2.2 Construction Industry Practitioners' Perception Evaluation	129
5.2.3 Critical On-site Construction Waste Management Practices	131
5.3 Contribution of the Study	132
5.4 Recommendation	132
REFERENCES	134
APPENDIX A	146
APPENDIX B	153
APPENDIX C	162
APPENDIX D	164

LIST OF TABLES

1.1	Method of waste disposal in Malaysia	5
2.1	Contractors grade and tender capacity	13
2.2	Definition of waste	15
2.3	Different types of solid waste	15
2.4	Definitions of construction waste by previous researchers	17
2.5	Building site activities causing generation of waste	32
2.6	Landfills status in Malaysia for each state	42
2.7	Practices for successful on-site waste management	49
3.1	Internal consistency indicator for Cronbach's Alpha value	84
3.2	Skewness and Kurtosis value result for each practice	87
3.3	K-S and S-W analysis	90
3.4	Respondent's demographic for pilot test	94
3.5	Respondents demographic summary	95
3.6	Initial analysis of measures for successful on-site waste minimization	95
4.1	Questionnaire survey method statistic	100
4.2	Demographic characteristic of respondents	100
4.3	Construction type undertaken by respondents' company	102
4.4	Mean ranking for each practice based on three organization type	105
4.5	Result of Kruskal-Wallis (one-way ANOVA)	106
4.6	Post hoc pairwise comparison of different type construction organization	109
4.7	Descriptive means analysis of successful on-site waste minimization	116

4.8	Average mean value for each group of practice	119
5.1	Practices for successful on-site waste minimization	128
5.2	14 deleted practices for further analysis	130
5.3	Critical management practices for reducing on-site construction waste	131



LIST OF FIGURES

1.1	Construction waste are illegally dumped at the end of the road	4
1.2	Illegal dumping of construction waste in an open space near Kampung Aman 1 flats in Seri Kembangan	4
2.1	Construction Waste Classification	18
2.2	Example of timber waste arising from construction activities	20
2.3	Concrete waste occurred at construction site	21
2.4	Bricks waste which occurs during the construction activities	22
2.5	Example of metal waste at construction site	23
2.6	Example of soil waste at building construction site	24
2.7	Example of soil waste at road construction site	24
2.8	Example of glass product used in construction project	25
2.9	Packaging waste that accumulated during construction project	26
2.10	Design errors lead to rework	27
2.11	Machinery failures leads to delay of works	27
2.12	Waste generation through construction process	29
2.13	Bar chart of physical and non-physical waste generation factor	33
2.14	Waste management hierarchy	42
2.15	The conceptual framework for strategic planning of construction waste management	43
2.16	Timeline of solid waste management transition in Malaysia	45
3.1	The flow of research	72

3.2	The concept of Likert scale	78
3.3	Flow of data collection	82
4.1	Critical management practices	120
4.2	Comparison average mean value for each group	121
4.3	The flow chart of the findings in this study	126



LIST OF SYMBOLS AND ABBREVIATIONS

α	-	Alpha value
ANOVA	-	Analysis of Variance
C	-	Margin of error
CaCO ₃	-	Calcium Carbonate
C&D	-	Construction and demolition
CIDB	-	Construction Industry Development Board
CIMP	-	Construction Industry Master Plan
CITP	-	Construction Industry Transformation Programme
CWM	-	Construction Waste Management
df	-	Degree of freedom
GDP	-	Gross Domestic Product
GFCF	-	Gross Fixed Capital Formation
GNI	-	Gross National Income
GWP	-	Global Warming Potential
k	-	The number of item considered
K-S	-	Kolmogorov-Smirnov
IBS	-	Industrialised Building System
MHLG	-	Ministry of Housing and Local Government
Phd	-	Doctor of Philosophy
P	-	Percentage picking a choice
r	-	The mean of the inter-item correlation

PCBs	-	Polychlorinated Biphenyls
Sig.	-	Significant
SPSS	-	Statistical Package for the Social Sciences
S.S	-	Sample Size
S-W	-	Shapiro-Wilk
χ^2	-	Chi-square
US	-	United States
Z	-	Confidence Level



PTTA UTHM
PERPUSTAKAAN TUNKU TUN AMINAH

CHAPTER 1

INTRODUCTION

1.1 Introduction

The construction sector plays a vital role in every developing country. Nowadays, the industry faces many challenges relating to construction waste. In the last two decades, there have been increasing construction wastes caused by inefficient waste management practices in the construction projects (Saadi et al., 2016). This phenomenon also caused by the increase in the standard of living, changes in consumption habits and also caused by the population increase (Nagapan et al., 2012b). The United States of America Environmental Protection Agency has reported that the construction industry contributes about 40% of the entire wastes (US EPA, 2014). In Peninsular Malaysia, the amount of solid waste generated per day increased from an estimated 23,000 tonnes in 2010 to 25,000 tonnes in 2012 (Abu Eusuf et al., 2012). Currently, Solid Waste and Public Cleansing Management Corporation of Malaysia confirms that approximately 8 million tonnes of construction wastes per year are generated from construction projects (Taha, 2015). Besides being a waste contributor, this generation of wastes has a negative impact on the environment, cost, productivity, time, social, and economy to the industry (Marzouk & Azab, 2014). It is expected that this issue will become worse if the management of responsible practitioners towards construction waste problem is not emphasized.

Proper construction waste management is very important to ensure the sustainability concept can be achieved. The process of managing construction waste goes far beyond the disposal of the wastes itself. It is encompassing a strategy to effectively utilize construction resources in the most effective way, with the aim to reduce the volume of construction waste production as much as possible throughout all the construction phases (Esa, Halog, & Rigamonti, 2017). In line with that, a proper waste management practice can be attained through a good site management. Nowadays, a good approach through the site management has been increasingly well-known its effectiveness for achieving the targeted performances (including waste management) in a construction project. This is due to the base understanding that a good site management is an important factor to achieve project performance indicators such as time, cost, quality, waste and safety targets (Ajayi et al., 2017). Through an intensive study in construction site management, it has been proved that a good site management will influence a proper waste management at a construction site and at once will be able to minimize construction waste generation (Udawatta et al., 2015; Marinelli et al., 2014).

There is an urgent need to look for improvements in the present construction waste management practices in order to reduce waste effectively, conserve landfills capacity, achieving the concept of sustainability in waste construction (Subramaniam et al., 2018). Hence, the strategy to reduce the construction waste generated by industry through the good management practices has become one of the top issues to be discussed nowadays. As a result, different construction management practices have been recognized as been essential in reducing construction waste to landfill. In connection with the topic, this study is conducted to identify and determine the critical management practices which are influencing on-site waste minimization for construction projects in Malaysia.

1.2 Problem Statement

The urbanization, population rapid growth, industrialization and economic development in Malaysia have produced mass solid waste. It is found that the construction industry is identified as one of the largest contributors towards mass production of solid waste in Malaysia (Marzouk & Azab, 2014). According to Wahi

et al. (2016), the world cities are producing as much as 1.3 billion tonnes of solid waste for every year. This volume of waste is predicted to rise up to 2.2 billion tonnes by the end of 2025. Across the globe, the construction industry generates about 44% of landfill waste in the United Kingdom, 29% in the United State, 44% in Australia (Ajayi et al., 2017) and 40% in China (Ding et al., 2016). In Malaysia, Solid Waste and Public Cleansing Management Corporation of Malaysia (SWCorp) confirms that approximately 8 million tonnes of construction wastes per year (21,918 tonnes per day) were generated from construction projects (Taha, 2015). In addition, currently, Malaysia generates 26,000 tonnes of wastes daily from construction works that further congest the already over-flowing landfills (Esa et al., 2017). Based on the stated statistic of waste production around the world, it is confirmed that there is an increase in construction waste products within the construction industry. Hence, it is important to determine waste management practices that able to minimize the construction waste generation. In facts, the increasing of construction waste in Malaysia will bring negative impact on the environment, social and economic. As the result, the issue of minimizing construction waste becoming a great concern to the developing countries such as Malaysia.

Along with the significant increase of construction waste production from the construction industry, the extent problem from rapid development in Malaysia had caused construction waste illegal dumping phenomenon (Esa et al., 2016). Nowadays, illegal dumping from construction waste had found to be one of the pressing issues in Malaysia. The previous studies had shown the increasing cases of illegal dumping activities across Peninsular Malaysia from 2004 to 2015 (Rahim et al., 2017; Yahaya & Larsen, 2008; Rahmat & Ibrahim, 2007; Asaari et al., 2004). As for example, about 851 of illegal dumping area has been identified by SWCorp Malaysia. Evidently, Karim (2018) had reported illegal dumping site mainly contained construction debris had found at the end of the road of Tiara Titiwangsa 3, Taman Titiwangsa as shown in Figure 1.1. Meanwhile, on October 27, 2014, News Strait Times had highlighted the illegal dumping issue of construction waste in an open spaced near Kampung Aman 1 flats Sri Kembangan as shown in Figure 1.2 (Muhamading, 2014). In addition, on 24 January 2017, The Star Newspaper had reported the occurrence of construction waste on a slip road at Jalan Lagong in Klang (Michael, 2017). This illegal dumping issue will cause risk to human health and the environment (Rahmat & Ibrahim, 2007). According to Nagapan at al., (2012a), the issue of illegal dumping arise due to the cost

and project location factors. The distance between the project location and the landfill site hinder the contractor to dispose of construction waste in the legal landfill. This issue has become a great concern to the local authority and it will give many negative effects towards the environment, social and economy.



Figure 1.1: Construction waste are illegally dumped at the end of the road (Karim, 2018).



Figure 1.2: Illegal dumping of construction waste in an open space near Kampung Aman 1 flats in Seri Kembangan (Muhamading, 2014).

Apart from that, the uncontrollable generation of construction waste will cause the landfills rapidly reached its maximum capacity. According to Sin et al. (2013), the landfill is the ultimate waste disposal method that can deal with many types of materials. In Malaysia, the common practice in disposing of construction waste is by

directly disposing them to the proper dumpsite such as landfill (Saadi et al., 2016). This method is chosen among contractor in Malaysia because the waste materials are assumed to have a little premium value. In addition, the contractors perceived this method as the best solution to deal with the generation of construction waste. This situation has led the contractors to dispose the construction waste directly to the landfill. However, this conventional practice will no longer be applicable for a long term since there is an increasing amount of construction waste year by year which will make the landfills reach its full capacity. Table 1.1 shows the percentage increase of waste disposed of through landfill until the targeted year 2020. Since the construction industry has generated the amount of waste, it also takes up large space of the landfills. Evidently, it was reported that among 289 landfills including dumpsites, 113 of these landfills are no longer in operation due to protest from surrounding residents or have reached their full capacity (Nagapan et al., 2012a). Landfills are regarded as one of major negative impact on the environment in Malaysia due to the poor management of landfills from the responsible party. Hence, an improvement of construction waste management strategy should be periodically done since the issues of limited landfills faces by some of the developed countries becomes crucial.

Table 1.1: Method of waste disposal in Malaysia (Sin et al., 2013)

Treatment	Percentage of Waste Disposed		
	2002	2006	Target 2020
Recycling	5.0	5.5	22.0
Composting	0.0	1.0	8.0
Incineration	0.0	0.0	16.8
Inert landfill	0.0	3.2	9.1
Sanitary landfill	5.0	30.9	44.1
Other disposal Site	90.0	59.4	0.0
Total	100.0	100.0	100.0

Meanwhile, the Construction Industry Development Board (CIDB) of Malaysia has been dynamically encouraging the practice of industrialized building system (IBS) in local construction industries since 1998 as a technique to overcome construction waste problem, conserve landfill capacity and also helping to achieve the concept of sustainability in Malaysia (Azman et al., 2013). Unfortunately, because of the higher initial cost that incurs during the construction process, there is a significant percentage of construction projects do not adopt the use of IBS technology and other off-site construction techniques (Saadi et al., 2016), thus making it less critical practice

to reduce the construction waste in the current construction mainstream. In addition, according to Tam et al. (2006), the hindrances in applying prefabrication such as inflexible for design changes, lack of research information, higher initial construction cost, limited site space and lack of expertise are the causes of less IBS implementation among contractors in construction projects. Corroborates with the statement, Yuan (2013b) claimed that some management practices such as the “implementation of IBS technology” and “increasing the fee for waste disposal in landfill” are not considered as critical by construction practitioners, although these two management practices have been broadly recognized as effective in minimizing construction waste.

Generally, the previous research on the construction waste management in Malaysia is mainly discussed on the implementation of government policies, strategies, legislation and law enforcement on waste management such as in the study of Saadi et al., (2016), Wahi et al., (2016) and Nagapan et al, (2012a). However, the government policies are still not effectively taken by the industry practitioners. The policies are not enough to encompass whole concept of sustainability (Sin et al., 2013). The policies only emphasized to the level of implementation 3R hierarchy concept towards construction waste management as the measures to reduce construction waste. Moreover, there are less information and data are provided on the critical practices that should be carried out to reduce construction waste generation in Malaysia. A study by Papargyropoulou et al, (2011) only emphasized on the implementation of Site Waste Management Plans (SWMP) in Malaysia as the practice to reduce construction waste and it specifically focused on the contractor perspectives only. In addition, a study regarding construction waste management practices in Malaysia by Esa et al., (2017) are not emphasizing the contradiction perception issues that arise within the different group of construction industry players. In line with that, the evaluation of the construction industry practitioner's perception towards construction waste management practices should be incorporate to determine the effectiveness waste management practices at construction site.

Hence, based on the highlighted issues, an effective solution should be proposed to solve construction waste problems. The effective construction waste management practices that lead towards a better on-site waste minimization is one of the best approaches in order to achieve the sustainability goal and targeted performance in a construction project. This study will determine and highlight the

critical management practices that influence on-site waste minimization in construction projects.

1.3 Research Questions

Based on the problem statement, this study has come up with the following research questions:

- i. What are the waste management practices that able to engender waste minimization?
- ii. What is the perception of the construction industry practitioners in the client, consultant and contractor organization regarding waste minimization practices?
- iii. What are the critical management practices to reduce construction waste generation in construction projects?

1.4 Research Objectives

The aim of this study is to determine the critical management practices influencing on-site waste minimization in construction projects. Minimizing construction waste is defined herein as the practice which contributes to reducing construction waste generation through the construction process. The hypothesis is that effective construction waste management will be able to engender on-site waste reduction. This research will highlight the critical practices that can be adapted to minimize on-site construction waste through the identification of critical management practices that leads to a better management in waste minimization. The objectives of this study are as follow:

- i. To identify the current on-site waste minimization practices for construction waste management in construction projects.
- ii. To evaluate the differences in perception among the client, consultant, and contractor regarding key site management practices for construction waste minimization.
- iii. To determine the critical management practices in minimizing on-site construction waste production for construction projects.

1.5 Scopes of Study

The scope of this study is mainly focused on the current management practices in construction project. Kruskal-Wallis analysis was used to analyze non-parametric data regarding the perception of construction industry practitioners towards 52 waste minimization practices. Following that, Descriptive Means analysis was applied to determine the critical management practices in reducing on-site construction waste. Furthermore, the practices regarding on the construction waste management were identified first through a literature review on the 20 research articles and then these parameters were inserted in a structured questionnaire survey in order to determine the top management practices. The questionnaire survey was conducted by posting mail, emailing, in-person meeting and using web services such as Google survey. Since the number of respondent population was difficult to determine because there was no database that provides directly this information and hindrance of time and cost, the sample size for this study was determine through an equation that adopted from the previous study in the construction field.

The limitations of this study are on-site waste management.

- i. The information and data collection only covers the construction projects within Peninsular Malaysia which are Selangor, Johor, Pahang, and Kelantan. The state of Selangor and Johor are chosen because there is rapid development of construction project in this region. Meanwhile, Kelantan and Pahang are selected because it eases the researcher to access for data collection due to cost and time constraint factors.
- ii. This study only used a quantitative research method using a structured questionnaire survey.
- iii. The minimum sample size for this study is 118 respondents with the 95% confidence level of the data collection.
- iv. The criteria of the respondents should be the person who directly involved with construction process. The respondents are randomly selected during the actual questionnaire survey.
- v. The data collection limit to the only organization (unit of analysis) of the construction industry practitioners.

- vi. The data collection was limited to the on-site construction waste management practices at residential, non-residential, infrastructures and social amenities only.

1.6 Thesis Structure

This study focused on the construction waste management practices that able to mitigate on-site construction waste production. This study is divided into five chapters as stated in the next paragraph.

This first chapter discusses the need of the study. It contains background, problem statement to summarize the main research questions, objectives and scopes of the study.

The second chapter consists of the review of published research works for the related study on construction waste management practices. Further, it highlights the practices regarding on-site construction waste management practices.

The third chapter explains the research plan and the methodology implemented for this research work. It presents details of analyzing approaches used for data analysis together with the data collection technique.

The fourth chapter presents the evaluation, analysis, and discussion in detail. The data obtained through the actual questionnaire survey were analyzed and interpreted.

Lastly, the fifth chapter concludes the whole research conducted in order to meet the objectives.

CHAPTER 2

LITERATURE REVIEW

2.1 Introduction

In recent years, the number of construction project has increased rapidly due to the 11th Malaysian plan (Nagapan et al., 2013). Unfortunately, the construction industry caused a lot of harmful and negative impact on the surrounding environment in order to fulfill the demands of the present developments (Noor et al., 2013). In line with that, there have been increasing construction wastes causing from insufficient waste management practices in the construction projects. Waste management in the construction industry in Malaysia has become a major environmental issue in the past recent years. This issue has become one of the Malaysia greatest concern when a large amount of construction wastes is being dumped directly to the landfill. Hence, the understanding of construction waste problem is essential in order to overcome this problem effectively.

This chapter provides a literature review on the construction waste, construction waste causes, and generation, classification of construction waste, the impact of construction waste and construction waste minimization concept. This chapter aims to give a deep understanding and knowledge regarding construction waste and its subjected issues. It discusses how construction waste has become a concerned issue in the Malaysian construction project and the importance of efficient

REFERENCES

- A. Hertzog, M. (2008). Considerations in Determining Sample Size for Pilot Studies. *Research in Nursing & Health*, 31(4), 341–354.
- Abdullah, M. R. (2010). *Significant causes and effects of construction delay*. Master Thesis, University Tun Hussein Onn Malaysia
- Abu Eusuf, M., Ibrahim, M., & Islam, R. (2012). The Construction And Demolition Wastes In Klang Valley, Malaysia. *Renewable and Sustainable Energy Reviews*, Vol.1(1), pp 225-231.
- Ajayi, S. O., Oyedele, L. O., Bilal, M., Akinade, O. O., Alaka, H. A., & Owolabi, H. A. (2017). Critical Management Practices Influencing On-site Waste Minimization in Construction Projects. *Waste Management*, 59, 330–339.
- Alam Flora Sdn. Bhd (2015). Reduce, Reuse, Recycle. You can make a difference. Retrieved from https://www.alamflora.com.my/reduce_reuse_recycle.html [Accessed 2nd october 2017]
- Al-Hajj, A., Hamani, K., (2011). Material Waste in the UAE Construction Industry: Main causes and minimization practices. *Archit. Eng. Des. Manage.* 7 (4), 221–235.
- Al-Hajj, A., Iskandarani, T., (2012). Reducing Waste Generation on the UAE Construction Sites. In: Paper Presented at 7th International Conference on Innovation in Architecture, Engineering and Construction, São Paulo, Brazil.
- Al-Najjar, J. M. (2008). Factors Influencing Time and Cost Overruns on Construction Projects in the Gaza Strip. Faculty of Engineering. The Islamic University Gaza. Master's Thesis.
- Alwi, S., Hampson, K., & Mohamed, S. (2002). Non Value-Adding Activities In Australian Construction Projects, 270–278.

- American Lung Association of California. Air Quality and Health Impacts of Greenhouse Gas Emissions and Global Warming [Internet]; 2004 June [cited 2017, September 1], Available from: <http://www.californialung.org>.
- Anderson, J., & Thornback, J. (2012). A guide to understanding the embodied impacts of construction products. *Construction Products Association*, 1–53.
- Asaari A.H, F., Abdul Halim, H., & Isa, M. H. (2004). A Study on Construction and Demolition Waste from Buildings in Seberang Perai. *Proceeding of 3rd National Conference in Civil Engineering, Cophorne Orchid, Tanjung Bungah, Malaysia*, (January 2004), 3–8.
- Azman, M. N. A., Kamar, K. A. M., & Naw, M. N. M. (2013). Industrialised Building System in Reducing Waste of Construction Industry. *JSTE*, 2(3), 96–103.
- Bank Negara Malaysia (2016). Economic And Financial Developments In Malaysia In The Fourth Quarter Of 2015.
- Begum, R. A., Siwar, C., Pereira, J. J., & Jaafar, A. H. (2006). A benefit–cost analysis on the economic feasibility of construction waste minimisation: the case of Malaysia. *Resources, Conservation and Recycling*, 48(1), 86–98.
- Begum, R.A., Siwar, C., Pereira, J.J., Jaafar, A.H., (2007). Implementation of waste management and minimisation in the construction industry of Malaysia. *Resour. Conserv. Recycl.* 51 (1), 190–202.
- Begum, R. A., Siwar, C., Pereira, J. J., & Jaafar, A. H. (2009). Attitude and behavioral factors in waste management in the construction industry of Malaysia. *Resources, Conservation and Recycling*, 53(6), 321–328.
- Benchtell, M. L. (2002). On target: How to conduct effective business review.
- Berge, B. (2009). *The Ecology of Building Materials: Second Edition*. Italy: ELSEVIER.
- Bossink, B. a. G., & Brouwers, H. J. H. (1996). Waste Quantification and Source Evaluation.pdf. *Journal of Construction Engineering and Management*.
- Brown, J. D. (2001). *Using Surveys in Language Programs*, Cambridge Cambridge University Press.
- Cha, H.S., Kim, J., Han, J.Y., 2009. Identifying and Assessing Influence Factors on Improving Waste Management Performance for Building Construction Projects. *J. Constr. Eng. Manage.* 135 (7), 647–656.

- Construction Industry Development Board (CIDB) Malaysia. (2015). *Construction Industry Transformation Programme (CITP) 2016-2020* (p. 184). Construction Industry Development Board (CIDB) Malaysia.
- Construction and Demolition Waste Management Toolkit;” WasteCap Wisconsin; [Internet] June 2005 [cited 26 June 2018]. Illinois Waste Management and Research Center
- Dainty, A.R.J., Brooke, R.J., 2004. Towards Improved Construction Waste Minimisation: A Need for Improved Supply Chain Integration? *Struct. Surv.* 22 (1), 20–29.
- Dajadian, S. A., & Koch, D. C. (2014). Waste management models and their applications on construction sites. *International Journal of Construction Engineering and Management*, 3(3), 91–98. <https://doi.org/10.5923/j.ijcem.20140303.02>
- Dania, A. A., Kehinde, J. O., & Bala, K. (2004). A study of construction material waste management practices by construction firms in Nigeria. In *Proceedings of the 3rd Scottish Conference for Postgraduate Researchers of the Built and Natural Environment, Glasgow* (pp. 121-129).
- Davies, M. B., & Hughes, N. (2014). *Doing a successful research project: Using qualitative or quantitative methods*. Palgrave Macmillan.
- Defra. (2013). Waste Prevention Programme for England Overview of Evidence: A rationale for waste prevention in England.
- Denzin, N. K., & Lincoln, Y. S. (2005). The Sage handbook of qualitative research. *Thousand Oaks, CA: Sage Publication*, 695-728.
- Department of Statistics, Malaysia (2013)
- Department of Statistics, Malaysia (2015)
- Ding, Z., Yi, G., Tam, V. W. Y., & Huang, T. (2016). A system dynamics-based environmental performance simulation of construction waste reduction management in China. *Waste Management*, 51, 130–141. <https://doi.org/10.1016/j.wasman.2016.03.001>.
- Domingo, N., Osmani, M., & Price, A. D. (2009). Construction Waste Minimisation in the UK Healthcare Industry.
- Edmonson, S., & Irby, B. (2008). *Ten Tips for Producing a Top Quantitative Research Study*. Boston, USA: Pearson Education. Inc.

- Enshassi, A., Kumaraswamy, M., & Al-Najjar, J. (2010). Significant Factor Causing Time and Cost Overruns in Construction Projects in the Gaza Strip: Contractors' Perspective. *International Journal of Construction Management*, 10(1), 35-60
- Esa, M. R., Halog, A., & Rigamonti, L. (2016). Developing strategies for managing construction and demolition wastes in Malaysia based on the concept of circular economy. *Journal of Material Cycles and Waste Management*, 19(3), 1144-1154.
- Esa, M. R., Halog, A., & Rigamonti, L. (2017). Strategies for Minimizing Construction and Demolition Wastes in Malaysia. *Resources, Conservation and Recycling*, 120, 219–229.
- Fauziah, S., & Agamuthu, P. (2012). Trends in Sustainable Landfilling in Malaysia, A Developing Country. *Waste Management & Research*, 30(7), 656–663.
- Fellows, R and liu, A. (2008). Research Method for Construction. 3rded. Wiley-Blackwell: Utopia Press.
- Field, A. (2013). *Discovering Statistics Using IBM SPSS Statistics*. SAGE.
- Fishbein, B. K. (1998). Building for the Future: Strategies to Reduce Construction and Demolition Waste in Municipal Projects. INFORM, Incorporated.
- Formoso, C. T., Soibelman, L., De Cesare, C., & Isatto, E. L. (2002). Material Waste in Building Industry: Main Causes and Prevention. *Journal of Construction Engineering and Management*, 128(4), 316–325.
- Gangoellis, M., Casals, M., Forcada, N., & Macarulla, M. (2014). Analysis of the implementation of effective waste management practices in construction projects and sites. *Resources, conservation and recycling*, 93, 99-111.
- Hague, P. (2006). An Introduction to Questionnaire Design. *A Practical Guide to Market Research*, 129–149.
- Hassan, S. H., Ahzahar, N., Fauzi, M. A., & Eman, J. (2012). Waste Management Issues in the Northern Region of Malaysia. *Procedia - Social and Behavioral Sciences*, 42(July 2010), 175–181.
- Hendriks, C. F. and Janssen, G. M. T. (2003). Use of Recycle Materials in Construction. *Materials and Structures*. Vol.36. pp. 604-608.
- Ibrahim, A. R., Roy, M. H., Ahmed, Z., & Imtiaz, G. (2010). An investigation of the status of the Malaysian construction industry. *Benchmarking: An International Journal*, 17 (2), 294-308

- Ismam, J. N., & Ismail, Z. (2014). Sustainable Construction Waste Management Strategic Implementation Model. *WSEAS Transactions on Environment and Development*, 10, 48–59.
- Jaillon, L., Poon, C. S., & Chiang, Y. H. (2009). Quantifying the Waste Reduction Potential of Using Prefabrication in Building Construction in Hong Kong. *Waste Management*, 29(1), 309–320.
- Jain, M. (2012). Economic Aspects of Construction Waste Materials in Terms of Cost Savings – A case of Indian construction Industry. *International Journal of Scientific and Research Publications*, 2(1), 2250–3153.
- Jalil, A. (2010). Sustainable Development in Malaysia: A Case Study on Household Waste Management. *Journal of Sustainable Development*, 3(3): 91-102.
- Jaouda Hamad, Jaouda R., M. Hanafiah, M., & Abdullah, S. (2009). Problems and current practices of solid waste management in Port-au-Prince (Haiti), 29(1), 2907–2909. <https://doi.org/10.1016/j.wasman.2009.07.015>
- Jereme, I. A., Siwar, C., & Alam, M. (2015). Waste Recycling in Malaysia : Transition from Developing to Developed Country Waste recycling in Malaysia. 4(February), 1–14.
- Jingkuang, L., & Yousong, W. (2011). Establishment and Application of Performance Assessment Model of Waste Management in Architectural Engineering Projects in China. *Systems Engineering Procedia*, 1, 147-155.
- Johanson, G. A., & Brooks, G. P. (2009). Initial Scale Development : Sample Size for Pilot Studies, 1–7.
- Karim, K. N. (2018, April 25). Lorry Driver Fined RM 17,000 Fine Illegal Dumping. News Strait Times. Retrieved from <https://www.nst.com.my/news/crime-courts/2018/04/361658/lorry-driver-fined-rm17000-fine-illegal-dumping>.
- Khan, R. A., Liew, M. S., & Ghazali, Z. Bin. (2014). Malaysian Construction Sector and Malaysia Vision 2020: Developed Nation Status. *Procedia - Social and Behavioral Sciences*, 109, 507–513.
- Kim, S., Tuan, K.N., Lee, J Do, Pham, H., & Luu, V. T. (2017). Cost Overrun Factor Analysis for Hospital projects in Vietnam. *KSCE Journal of Civil Engineering*, 20(2), 519-529.
- Kralj, D. (2008). Recycling and Environmental Waste Management in Constructions. *journal on Environment and Development: Issues* 5, Vol. 4. Pp. 389-398.

- Kitchenham, B., and pfleeger, S. L. (2002). Principles of Survey Research: Part 5 Populations and Samples. *Software Engineering Notes*, 27 (5). Pp. 17-20.
- Lam, P. T. I., Chan, E. H. W., Poon, C. S., Chau, C. K., & Chun, K. P. (2010). Factors Affecting the Implementation of Green Specifications in Construction. *Journal of Environmental Management*, 91(3), 654–661.
- Li Hao, J., Hill, M. J., & Yin Shen, L. (2008). Managing Construction Waste On-site Through System Dynamics Modelling: The Case Of Hong Kong. *Engineering, Construction and Architectural Management*, 15(2), 103–113.
- Llatas, C. (2011). A Model for Quantifying Construction Waste in Projects According to The European Waste List. *Waste Management*, 31(6), 1261–1276.
- Lu WS, Shen LY, Yam MCH (2008). Critical success factors for competitiveness of contractors: China study. *Journal of Construction Engineering and Management* 2008;134(12):972–82
- Lu, W., & Yuan, H. (2010). Exploring critical success factors for waste management in construction projects of China. *Resources, Conservation and Recycling*, 55(2), 201–208. <https://doi.org/10.1016/j.resconrec.2010.09.010>
- Lu, W., & Yuan, H. (2011). A Framework for Understanding Waste Management Studies in Construction. *Waste Management*, 31(6), 1252–1260.
- Lund Research Ltd (2013). Laerd Statistic. Kruskal-Wallis test using SPSS. [Internet] Retrieved from <https://statistics.laerd.com/spss-tutorials/kruskal-wallis-h-test-using-spss-statistics.php> [Accesssed 27 Ocotber 2017]
- Mallak, S. K., & Ishak, M. B., (2012). Waste Minimisation as Sustainable Waste Management Strategy for Malaysian Industries level. *11th International Annual Symposium on Sustainability Science and Management*. (July): 1245-1253.
- Manaf, L. A., Samah, M. A. A., & Zukki, N. I. M. (2009). Municipal Solid Waste Management in Malaysia: Practices and Challenges. *Waste Management*, 29(11), 2902–2906.
- Marinelli, M., Dolan, M., Spillane, J., & Konanahalli, A. (2014). Material Waste In the Northern Ireland Construction Industry: On-site Management Causes and Methods of Prevention. *RCOM A*, 113.
- Magalhães, R. F., Danilevicz, Â. D. M. F., & Saurin, T. A. (2017). Reducing construction waste: A study of urban infrastructure projects. *Waste Management*, 67, 265-277.

- Marzouk, M., & Azab, S. (2014). Environmental and Economic Impact Assessment of Construction and Demolition Waste Disposal Using System Dynamics. *Resources, Conservation and Recycling*, 82, 41–49.
- Michael, S. (2017, January 24). Construcction Waste Dumped On Slip Road. The Stars Newspaper. Retrieved from <https://www.thestar.com.my/metro/community/2017/01/24/construction-waste-dumped-on-slip-road-irresponsible-contractors-take-advantage-of-shady-oil-palm-tr/>.
- Mohd Nasir H, Yusoff MK, Sulaiman WNA, Rakmi AR. (1998) Issues and Problems of Solid Waste Management in Malaysia. In: Proceedings on national review on environmental quality management in Malaysia.
- Muhamading, M. (2014, October 27). Construction Waste Pile Up in Seri Kembangan. News Straits Time. Retrieved from <https://www.nst.com.my/news/2015/09/construction-waste-piles-seri-kembangan>.
- Mustapha, F. H., & Naoum, S. (1998). Factors Influencing the Effectiveness of Construction Site Managers. *International Journal of Project Management*, 16(1), 1–8.
- Nagapan, S., Rahman, I. A., & Asmi, A. (2011). A Review of Construction Waste Cause Factors. *Asian Conference on Real Estate: Sustainable Growth Managing Challenges (ACRE)*, (February), 967–987.
- Nagapan, S., Rahman, I. A., & Asmi, A. (2012a). Construction Waste Management: Malaysian Perspective. *The International Conference on Civil and Environmental Engineering Sustainability IConCEES 2012*, 2, 1–11.
- Nagapan, S., Rahman, I. A., & Asmi, A. (2012b). Factors Contributing to Physical and Non-Physical Waste Generation in Construction Industry. *International Journal of Advances in Applied Sciences (IJAAS)*, 1(1), 1–10.
- Nagapan, S., Rahman, I. A., Asmi, A., Hameed, A., & Zin, R. M. (2012). Identifying Causes of Construction Waste - Case of Central Region of Peninsula Malaysia. *International Journal of Integrated Engineering*, Vol. 4 No. 2 (2012) P. 22-28, 4(2), 22–28.
- Nazech, E. M., Zaldi, D., & Trigunarsyah, B. (2008). Identification of Construction Waste in Road & Highway Construction Projects. *Building a Sustainable Environment*, (November), 19–21.

- Njoroge, G. K. (2012). Environmental Pollution and Impacts on Public Health : *Environmental Pollution and Impacts on Public Health, 1*, 14.
- Noor, R. N. H. R. M., Ridzuan, A. R. M., Endut, I. R., Noordin, B., Shehu, Z., & Ghani, A. H. A. (2013). The Quantification of Local Construction Waste for the Current Construction Waste Management Practices: A Case Study in Klang Valley. *Proceedings of the Business Engineering and Industrial Applications Colloquium*. pp. 183–188.
- Nutrient Recovery Generate Electricity. NRGE. (2012) Construction Waste Management Plan.
- Olanrewaju, A. L., & Abdul-Aziz, A. R. (2015). Building maintenance processes and practices: The case of a fast developing country. *Building Maintenance Processes and Practices: The Case of a Fast Developing Country*, 1–331.
- Osman, W., Udin, Z., & Salleh, D. (2012). Adoption Level of Sustainable Construction Practices: A Study on Malaysia's Construction Stakeholders. *The Journal of Southeast Asian Research*, 2012(January 2016), 1–6.
- Oyedele, L. O., Regan, M., von Meding, J., Ahmed, A., Ebohon, O. J., & Elnokaly, A. (2013). Reducing Waste to Landfill in the UK: Identifying Impediments and Critical Solutions. *World Journal of Science, Technology and Sustainable Development*, 10(2), 131-142.
- Papargyropoulou, E., Preece, D. C., Padfield, D. R., & Abdullah, A. A. B. (2011). Sustainable Construction Waste Management in Malaysia: A Contractor's Perspective. *Management and Innovation for a Sustainable Built Environment*, (June), 1–10.
- Pheng, L. S., & Shang, G. (2011). The application of the Just-in-Time philosophy in the Chinese construction industry. *Journal of Construction in Developing Countries*, 16(1), 91–111.
- Rahim, M. H. I. A., Kasim, N., Moham, I., Zainal, R., Sarpin, N., & Saikah, M. (2017). Construction waste generation in Malaysia construction industry: Illegal dumping activities. *IOP Conference Series: Materials Science and Engineering*, 271(1). <https://doi.org/10.1088/1757-899X/271/1/012040>.
- Rahmat, N. R., & Ibrahim, A. H. (2007). Illegal Dumping Site : Case Study in The District of Johor Bahru Tengah Johor. *International Conference on Sustainable Materials (ICoSM)*, (May), 89–91.

- Rajendran, P., & Pathrose, C. P. (2012). Implementing BIM for waste minimisation in the construction industry. *Proceedings of the 2nd International Conference on Management*, (June), 557–570.
- Ramachandra, T. V. (2002). CHAPTER 30 Integrated Management of Municipal Solid Waste, (1972).
- Roche, T. D., & Hegarty, S. (2006). Best Practice Guidelines on the Preparation of Waste Management Plans for Construction and Demolition Project. *EnviroCentre.ie*, (June), 1–38.
- Sa'adi, N., & Ismail, Z. (2015). Government initiatives pertaining to construction waste minimization in Malaysia. *International Journal of Energy and Environment*, 9, 165–170.
- Saadi, N., Ismail, Z., & Alias, Z. (2016). A review of construction waste management and initiatives in malaysia. *Sustainability Sci. Manag*, 11, 101-14.
- Safiuddin, Md., Jumaat, M. Z., Salam, M. A., and Hashim, R. (2010). Utilization of Solid Wastes in Construction Materials. *International Journal of the Physical Sciences* Vol. 5. Pp. 1952-1963
- Saez, P. V., del Río Merino, M., González, A. S. A., & Porras-Amores, C. (2013). Best Practice Measures Assessment for Construction and Demolition Waste Management in Building Constructions. *Resources, Conservation and Recycling*, 75, 52-62.
- Sekaran, U. (2003). Research Methods for Business a Skilling-Building Approach Fourth Edition. New York: Jhon Wiley and Sons.
- Shen, L. Y., & Tam, V. W. Y. (2002). Implementation of Environmental Management in The Hong Kong Construction Industry. *International Journal of Project Management*, 20(7), 535–543.
- Shen, L. ., Tam, V. W. ., Tam, C. ., & Drew, D. (2004). Mapping Approach for Examining Waste Management on Construction Sites. *Journal of Construction Engineering and Management*, 130(4), 472–481.
- Sin, T. J., Chen, G. K., Long, K. S., & Hwang, H. (2013). Current Practice of Waste Management System in Malaysia : Towards Sustainable Waste Management. In: *1st FPTP Postgraduate Seminar "Towards Sustainable Management,"* 1106, 1–19.
- Simmons, H. L., R. A., CSI (2007). Olin;s Construction Principles, Materials and Methodsm 8th Edition. new Jersy: John Willey & Sons.

- Solís-Guzmán, J., Marrero, M., Montes-Delgado, M. V., & Ramírez-de-Arellano, A. (2009). A Spanish model for quantification and management of construction waste. *Waste Management*, 29(9), 2542–2548.
- Subramaniam, S., Halid, A., Abdullah, B., Nagapan, S., Kupusamy, K., Manian, H., & Daud, Z. (2018). Investigate How Construction Waste Generation Rate Is Different for Every Types of Project in Peninsular Malaysia Using Site Visit Method Investigate How Construction Waste Generation Rate Is Different for Every Types of Project in Peninsular Malaysia Usi, 10(May), 150–155.
- Tam, V. W. Y., Shen, L. Y., Fung, I. W. H., & Wang, J. Y. (2007). Controlling Construction Waste by Implementing Governmental Ordinances in Hong Kong. *Construction Innovation* (Vol. 7).
- Tam, V. W. Y., & Tam, C. M. (2006). A Review on the Viable Technology for Construction Waste Recycling. *Resources, Conservation and Recycling*, 47(3), 209–221.
- Tam, V. W. Y., Tam, C. M., Zeng, S. X., & Ng, W. C. Y. (2007). Towards Adoption of Prefabrication In Construction. *Building and Environment*, 42(10), 3642–3654.
- Taha, M. P. (2015). What a Waste: Solid Waste Management and The Malaysian Perspective on Construction Waste Generation and Management. Kuala Lumpur: Solid Waste and Public Cleansing Management Corporation. Retrieved from <http://www.swcorp.gov.my/index.php/en/>
- Tran Thi Ut (2013). “Data in Research”. Retrieved on 18 April 2016 form <http://docplayer.net/11654742-Data-in-a-research-tran-thi-ut-fec-hsu-october-10-2013.html>
- Udawatta, N., Zuo, J., Chiveralls, K., & Zillante, G. (2015). Improving Waste Management in Construction Projects: An Australian study. *Resources, Conservation and Recycling*, 101, 73–83.
- Ullah, K. (2017). Mitigation Measures for Critical Factors Causing Cost Overrrun in Malaysia Building Project (*Master Thesis*). University Tun Hussein Onn Malaysia.
- United Nations. (2000). Solid Waste Management. *State of the Environment in Asia and the Pacific*, 170–194.

- US EPA. (2014). Municipal Solid Waste Generation, Recycling, and Disposal in the United States: Facts and Figures for 2012. *US Environmental Protection Agency*, 1–13.
- Viljoen, C. (2010). Quality Factors Contributing to the generation of Construction Waste. Cape Peninsula University of technology, bellville: Master Thesis.
- Wahi, N., Joseph, C., Tawie, R., & Ikau, R. (2016). Critical Review on Construction Waste Control Practices: Legislative and Waste Management Perspective. *Procedia - Social and Behavioral Sciences*, 224(August 2015), 276–283. <https://doi.org/10.1016/j.sbspro.2016.05.460>.
- Wang, R., & Li, S. (2011). Talking About The Production And Disposing Of Construction Waste From The View Of Sustainable Development. *Asia-Pacific Power and Energy Engineering Conference, APPEEC*, 1–4.
- Wang, J., Li, Z., & Tam, V. W. (2014). Critical Factors in Effective Construction Waste Minimization at the Design Stage: A Shenzhen Case Study, China. *Resources, Conservation and Recycling*, 82, 1-7.
- Wibowo, A. (2009). The contribution of the construction industry to the economy of Indonesia: A systemic approach.
- Wyse, S. E. (2011). SnapSurveys. What's the difference between qualitative and quantitative research. Retrieved from <https://www.snapsurveys.com/blog/qualitative-vs-quantitative-research/> [Accessed 1st November 2017].
- Yahaya, N. Bin, & Larsen, I. (2008). Federalising Solid Waste Management In Peninsular Malaysia. *Proceeding of International Solid Waste Association (ISWA)*, (Act 171), 1–13.
- Yahya, K., & Boussabaine, A. H. (2006). Eco-costing of Construction Waste, *17*(1), 6–19.
- Yang, J. B., & Peng, S. C. (2008). Development of a Customer Satisfaction Evaluation Model for Construction Project Management. *Building and Environment*, 43(4), Pp. 458-468.
- Yeheyis, M., Hewage, K., Alam, M. S., Eskicioglu, C., & Sadiq, R. (2013). An overview of construction and demolition waste management in Canada: a lifecycle analysis approach to sustainability. *Clean Technologies and Environmental Policy*, 15(1), 81-91.

Yuan, H. (2013a). A SWOT Analysis of Successful Construction Waste Management. *Journal of Cleaner Production*, 39, 1–8.

Yuan, H. (2013b). Critical Management Measures Contributing to Construction Waste Management: Evidence from construction projects in China. *Project Management*, 44(4), 101–112.

